GUJARAT TECHNOLOGICAL UNIVERSITY
BE - SEMESTER–I &II (NEW) EXAMINATION – SUMMER-2019
Subject Code: 3110015   **Date: 01/06/2019**

Subject Name: Mathematics –2

Time: 10:30 AM TO 01:30 PM   **Total Marks: 70**

Instructions:
1. **Attempt all questions.**
2. **Make suitable assumptions wherever necessary.**
3. **Figures to the right indicate full marks.**

		Marks
Q.1	**(a)** Find the Fourier integral representation of $$f(x) = \begin{cases} x \; ; x \in (0, a) \\ 0 \; ; \; x \in (a, \infty) \end{cases}$$	**03**
	(b) Define: Unit step function. Use it to find the Laplace transform of $$f(t) = \begin{cases} (t-1)^2 \; ; \; t \in (0, 1] \\ 1 \quad\quad ; \; t \in (1, \infty) \end{cases}$$	**04**
	(c) Use the method of undetermined coefficients to solve the differential equation $y'' - 2y' + y = x^2 e^x$.	**07**
Q.2	**(a)** Evaluate $\oint_C \bar{F} \cdot d\bar{r}$; where $\bar{F} = (x^2 - y^2)\hat{\imath} + 2xy\,\hat{\jmath}$ and C is the curve given by the parametric equation $C : r(t) = t^2\,\hat{\imath} + t\,\hat{\jmath}; \; 0 \le t \le 2$.	**03**
	(b) Apply Green's theorem to find the outward flux of a vector field $\bar{F} = \frac{1}{xy}(x\,\hat{\imath} + y\,\hat{\jmath})$ across the curve bounded by $y = \sqrt{x}$, $2y = 1$ and $x = 1$.	**04**
	(c) Integrate $f(x, y, z) = x - yz^2$ over the curve $C = C_1 + C_2$, where C_1 is the line segment joining $(0,0,1)$ to $(1,1,0)$ and C_2 is the curve $y=x^2$ joining $(1,1,0)$ to $(2,4,0)$.	**07**

OR

	(c) Check whether the vector field $\bar{F} = e^{y+2z}\,\hat{\imath} + x\,e^{y+2z}\,\hat{\jmath} + 2x\,e^{y+2z}\,\hat{k}$ is conservative or not. If yes, find the scalar potential function $\varphi(x, y, z)$ such that $\bar{F} = \operatorname{grad}\varphi$.	**07**
Q.3	**(a)** Write a necessary and sufficient condition for the differential equation $M(x, y)dx + N(x, y)dy = 0$ to be exact differential equation. Hence check whether the differential equation $[(x+1)e^x - e^y]dx - xe^y dy = 0$ is exact or not.	**03**
	(b) Solve the differential equation $(1 + y^2)dx = (e^{-\tan^{-1}y} - x)dy$	**04**
	(c) By using Laplace transform solve a system of differential equations $\frac{dx}{dt} = 1 - y$, $\frac{dy}{dt} = -x$, where $x(0) = 1, y(0) = 0$.	**07**

OR

Q.3	**(a)** Solve the differential equation $(2x^3 + 4y)dx - xdy = 0$.	**03**

(b) Solve: $(x + 1)\frac{dy}{dx} - y = e^{3x}(x + 1)^2$.   **04**

(c) By using Laplace transform solve a differential equation $\frac{d^2y}{dt^2} + 5\frac{dy}{dt} + 6y = e^{-t}$, where $y(0) = 0$, $y'(0) = -1$.   **07**

Q.4 **(a)** Find the general solution of the differential equation
$$e^{-y}\frac{dy}{dx} + \frac{e^{-y}}{x} = \frac{1}{x^2}$$ **03**

(b) Solve : $\frac{d^3y}{dx^3} - 7\frac{dy}{dx} + 6y = e^x$ **04**

(c) Find a power series solution of the differential equation $y'' - xy = 0$ near an ordinary point $x=0$.   **07**

OR

Q.4 **(a)** Find the general solution of the differential equation
$$\frac{dy}{dx} + \frac{y}{x} - \sqrt{y} = 0.$$ **03**

(b) Solve : $x^3\frac{d^3y}{dx^3} + 2x^2\frac{d^2y}{dx^2} + 2y = x$ **04**

(c) Find a Frobenius series solution of the differential equation $2x^2y'' + xy' - (x + 1)y = 0$ near a regular-singular point $x=0$.   **07**

Q.5 **(a)** Write Legendre's polynomial $P_n(x)$ of degree-n and hence obtain $P_1(x)$ and $P_2(x)$ in powers of x.   **03**

(b) Classify ordinary points, singular points, regular-singular points and irregular-singular points (if exist) of the differential equation $y'' + xy' = 0$.   **04**

(c) Solve the differential equation
$$x^2\frac{d^2y}{dx^2} - 2x\frac{dy}{dx} + 2y = x^3\cos x$$
by using the method of variation of parameters.   **07**

OR

Q.5 **(a)** Write Bessel's function $J_p(x)$ of the first kind of order-p and hence show that $J_{1/2}(x) = \sqrt{\frac{2}{\pi x}}\sin x$.   **03**

(b) Classify ordinary points, singular points, regular-singular points and irregular-singular points (if exist) of the differential equation $xy'' + y' = 0$.   **04**

(c) Solve the differential equation $y'' + 25y = \sec 5x$ by using the method of variation of parameters.   **07**

****